022-N11B-7654

Kawasaki Motors Corp., U.S.A.

May 2, 2000

K00-43DC

Administrator National Highway Traffic Safety Administration 400 Seventh Street, SW. Washington, DC 20590



Attention:

VIN Coordinator

Subject:

2001 Model Year Motorcycle VIN Information

Dear Sir / Madam:

In accordance with the requirements of 49 CFR 565.7, Kawasaki herein submits the following information as currently available for the 2001 model year:

VIN information and vehicle horsepower figures for the following model within 1) the 2001 model year:

Model	VN1500-R1
Model Year	2001
VIN	JKBVNAR1()1A
Number of Cylinders	2
Description	Street
Max. Power (PS)	66
Production Start	July 15 <sup>th</sup> , 2000

Kawasaki's VIN coding description. 2)

Sincerely,

KAWASAKI MOTORS

David Corey

Government Relations Product Specialist

P.O. Box 25252


9 2 7 9 9 - 5 2 5 2

Santa Ana, California

9 4 9 / 7 7 0 - 0 4 0 0

Fax 949/460-5600

9950 Jeronimo Road Irvine, California 9 2 6 1 8 - 2 0 8 4



## KAWASAKI VIN CODING DESCRIPTION Continued - Pg. 2

## 6 Nominal Engine Displacement

shown above		/ithin " JKB " shown above M/C and ATV	Within " JK1 " shown above Only for Mule		Within "NH4" shown above for M/C manufactured by P. T. Kawasaki Motor Indomesia		
CODE	NOMINAL <u>DISPLACE-</u> <u>MENT</u>	CODE	NOMINAL <u>DISPLACE-</u> <u>MENT</u>	CODE	NOMINAL <u>DISPLACE-</u> <u>MENT</u>	CODE	NOMINAL <u>DISPLACE-</u> <u>MENT</u>
A	1300 сс	A	1500 сс	A	540 сс	A	Reserved
В	1100	В	220	В	<b></b> 300	В	
C	1000	C	800	C	620	C	
D	750	D	<b></b> 90	D	<b></b> 950	D	
E	650	E	65	E	Reserved	E	
F	550	F	Reserved	F		F	
G	450	G		G	<b></b> 450	G	
H	440	H		H	Reserved	Н	
J	420	J		J		J	
K	400	K		K		K	
L	305	L		L		L	
M	250	M		M		M	
N	200	N		N		N	
P	175	P		P		P	
R	125	R		R		R	
S	110	S		S		S	110 cc
T	100	T		T		T	Reserved
V	500	V		V		V	
W	80	W	<b></b>	W		W	
X	60	X		X		X	
Y	<b></b> 50	Y		Y		Y	
1	560	1		1		1	
2	900	2		2		2	
3	150	3		3		3	
4	600	4		4		4	
5	160	5		5		5	
6	700	6		6		6	
7	185	7		7		7	
8	300	8		8		8	
9	1200	9		9		9	

## KAWASAKI VIN CODING DESCRIPTION - Pg. 1

Characters (s)		Description				
1, 2, 3	engine disp	Motors Manufacturing Corp., U.S.A.  Kawasaki Motors (Phils.) Corporation  Kawasaki Motors Enterprise (Thailand)  P.T. Kawasaki Motor Indonesia  A, JKB or JK1 is used for each model in relation to nominal  gine displacement code in Character 6 shown below.  I4 is also used for model manufactured by P.T. Kawasaki Motor Indonesia.				
4, 5	Model Line Identification, Engine Type					
	For On-Roa	ad Motorcycle				
	ZR Eur ZN Eas: ZG Tou ZL Am VN Eas: EX Sup EN Eas: E J Clas KZ Poli KL Dua KE Dua LX Dua	per Sports, In-line 4 cylinder, water cooled, opian Sports, In-line 4 cylinder, air cooled, y Riding, In-line 6 cylinder, water cooled, 4 structure, In-line 4 cylinder, water cooled, 4 structure, Ver 2 cylinder, water cooled, 4 structure, Ver 2 cylinder, water cooled, 4 structure, In-line 2 cylinder, water cooled, y riding, In-line 2 cylinder, water cooled, 4 structure, In-line 2 cylinder, water cooled, 4 structure, In-line 2 cylinder, water cooled, 4 structure, In-line 4 cylinder, air colled, 2 structure, Single cylinder, water cooled, 4 li purpose, Single cylinder, water cooled, 2 structure, Single cylinder, water cooled, 4 li purpose, Singl	, 4 stroke cycle. 4 stroke cycle. bled, 4 stroke cycle. roke cycle. 4 stroke cycle. stroke cycle. , 4 stroke cycle. cooled, 4 stroke cycle. stroke cycle. cooled, 4 stroke cycle. stroke cycle.			
	For Off-Ro	ad Motorcycle	15.15 13.3 63			
		-road motorcycle, 4 stroke cycle. -road motorcycle, 2 stroke cycle.				
	For Compe	<u>tition</u>				
	KX Con	npetition, 2 stroke cycle.				
	For ATV		*			
	VF Aut EF Spo	ity four wheel ATV omatic four wheel ATV rts utility four wheel ATV rts four wheel ATV				
	For Mule					
	AF All	Mule Series				

## KAWASAKI VIN CODING DESCRIPTION Continued - Pg. 3

Characters (s)	<u>Description</u>			
7	Model Variation and Engine Characteristics			
	This code is used to indicate styling or feature differences between models or similar specifications as represented by characters 4,5 and 6model line, basic engine type, and nominal engine displacement.			
8	Net brake horsepower			
	Each model will use the number 1 to indicate the net brake engine horsepower. Any changes in this specification exceeding 10 % without requiring changes to any other character of the VIN, will be coded "2".			
9	Check digit			
	The check digit will be calculated in accordance with the requirements of 49 CFR Sec. 565.4 (c).			
10	Model Year			
	The model year will be designated in accordance with 49 CFR Sec. 565.4 (d).			
	1980 A 1998 W 1994 R 1999 X 1995 S 2000 Y 1996 T 2001 1 1997 V 2002 2			
11	Plant of manufacturer			
	Kawasaki motorcycles are manufactured in the following locations and are coded accordingly.			
	A manufactured by Kawasaki Heavy industries, at Akashi, Japan B manufactured by Kawasaki Motors Manufacturing Corp., U.S.A. C manufactured by Kawasaki Motors (Phils.) Corporation D manufactured by Kawasaki Motors Enterprise (Thailand) K manufactured by P.T. Kawasaki Motor Indonesia			
12-17	Production Sequence			
	These numbers will be assigned sequentially within a model as defined by characters 4, 5, 6, 7, 8, 10 and 11.  Not all models will begin with 000001.			